



HIGH-EFFICIENCY URINALS (HEUs) U.S. and CANADA December 12, 2013



What is a High-Efficiency Urinal?

The High Efficiency Urinal (HEU) has been a part of the North American plumbing fixture marketplace for over 20 years. This long history includes both flushing and non-water urinals. It is only within the past 12 years, however, that the water utility and plumbing industries determined that it was time to adopt a definition of an HEU in order to avoid marketplace confusion.

The HEU is defined as a fixture that operates at 0.5-gallons per flush (gpf) (1.9-Litres per flush - Lpf) or less, a threshold that is 50 percent less than the current U.S. national standard (maximum) mandated by the U.S. Energy Policy Act in 1992, which became effective in 1994. This 50 percent threshold serves as a metric for water authorities and municipalities designing more aggressive commercial plumbing fixture retrofit programs and, in many cases, establishes an additional performance tier for their financial incentives (e.g., rebate and voucher programs). Furthermore, it also serves as a “guidepost” for the various green building programs, standards, and codes being developed and used in North America. Finally, 0.5-gpf (1.9-Lpf) has been adopted by the U.S. EPA’s WaterSense® Program as the maximum volume for its voluntary flushing urinal specification.

High-Efficiency Urinals in the North American Marketplace

Fixtures currently considered as qualifying for the HEU designation fall into several different design and flush volume categories. View the tables that follow, which are organized to display those categories and reflect the latest information obtained from the manufacturers and other sources (WaterSense® and Certifying Bodies). The flush volumes shown in the tables are as certified and/or as reported by the manufacturer. It is always the responsibility of the reader to verify this information before making purchase or plumbing design decisions.

We urge readers to seek out performance and maintenance information from industry and other sources. We also strongly urge readers to perform a full life cycle cost analysis of purchase, installation, and maintenance before making a purchase decision. DO NOT ASSUME that all urinals (and their attached drainlines) experience the same cost of ongoing maintenance!

WaterSense® High-Efficiency Urinals

Included in these tables is a column that identifies those fixtures have been reported by recognized Certification Bodies as certified to the U.S. EPA’s WaterSense® specification for high-efficiency flushing urinals. Information about the WaterSense® labeling program for high-efficiency flushing urinals may be found at: <http://www.epa.gov/watersense/products/urinals.html>

The WaterSense® urinal specification may be found at: http://www.epa.gov/watersense/docs/urinal_finalspec508.pdf

The EPA’s listing of WaterSense®-certified flushing urinals may be searched here: http://www.epa.gov/watersense/product_search.html

This MaP listing of HEUs is periodically updated by the authors. The latest version may always be accessed at www.map-testing.com

Numerous water providers in North America use this HEU list for qualifying urinal products for rebates under their water conservation programs. Therefore, manufacturers and their representatives are urged to contact the authors to correct any errors in these listings and to add new high-efficiency urinal products to this list when those products become available.

Table 1. Flushing High-Efficiency Urinal Fixtures (0.5 gallons per flush – 1.9 litres per flush)

Manufacturer	Model Name	Model Number	Mat'l	WaterSense [®] compliant urinal?	Integral Flush Valve Sensor?
Acorn Engineering	Penal-Ware	4709HEU	SS	No	No
http://acorneng.com/product.aspx?ProductID=1312&title=ADA+Stainless+Steel+High+Efficiency+Urinal+for+Rear+Mount+(Chase)+Application					
American Standard	Selectronic-Innsbrook	6520.004	VC	No	Yes (battery)
	Selectronic-Innsbrook	6520.003	VC	No	Yes (hard-wired-AC)
	Universal-Allbrook	6550.001 (top-spud)	VC	Yes	No
	Allbrook-Flowise 0.5	6550.005 (top-spud)	VC	Yes	No
	Washbrook-Flowise	6590.005 (top-spud)	VC	Yes	No
	Washbrook-Flowise-Universal	6590.001 (top-spud)	VC	Yes	No
	Washbrook-Flowise-Universal	6515.001 (back-spud)	VC	Yes	No
	Washbrook-Flowise	6515.005 (back-spud)	VC	Yes	No
	Washbrook-Flowise-Universal	6115.001 (top-spud)	VC	Yes	No
	Decorative	6043.005 (back-spud)	VC	Yes	No
	Decorative	6042.005 (top-spud)	VC	Yes	No
	None	D7120-XX	VC	Yes	No
None	D7399-XX	VC	Yes	No	
http://www.americanstandard-us.com/bathroom-products/urinals/					
Briggs	Hilton	7521 (top-spud)	VC	Yes	No
	Lawton	7553 (top-spud)	VC	Yes	No
http://www.briggsplumbing.com/products/commercial/urinal/					
Caroma	Cube-Ultra Electronic	678068 (combination)- comprised of 686069 urinal- fixture (rear spud)- equipped with Caroma-Electronic-Flushometer-Valve-687282	VC	No	Yes
http://www.caromausa.com/					
Conrac	Calder	4810BEX (top-spud)	VC	Yes	No
	Calder	4810BEY (back-spud)	VC	Yes	No
	Carlton	4810BFX (top-spud)	VC	Yes	No
	Carlo	4810BHX (top-spud)	VC	Yes	No
	Carlo	4810BHY (back-spud)	VC	Yes	No
	Ganata	4810BMX (top-spud)	VC	Yes	No
http://www.conrac.ca/					
Crane	Eco-Richland	7120 (top-spud)	VC	Yes	No
	Eco-Crawford	7399	VC	Yes	No
http://www.cranepumbing.com/searchResults.aspx?d=4&t=30					
Duravit	Architec	081836	VC	Yes	No
	Architec	082036	VC	Yes	No
	Care	083630	VC	F/V-Yes	Yes
	Philippe Starck-1	083432	VC	F/V-Yes	Yes
	Philippe Starck-1	083532	VC	F/V-Yes	Yes
	Vero	280132	VC	F/V-Yes	Yes
	Vero	280032	VC	F/V-Yes	Yes
	Starck-3	082135	VC	Yes	No
http://www.duravit.us/website/homepage/products/product_overview/series/architec.us_en.html#filter_urinals					
Foremost	None	C4810BEX (top-spud)	VC	Yes	No
	None	C4810BEY (back-spud)	VC	Yes	No
	None	C4810BFX (top-spud)	VC	Yes	No
	None	C4810BHX (top-spud)	VC	Yes	No
	None	C4810BHY (back-spud)	VC	Yes	No
	Ganata	C4810BMX (top-spud)	VC	Yes	No
	Rondo	UR-490-Y (top-spud)	VC	Yes	No
www.foremostgroups.com/K&B/index.html					
Hajoca	Mainline	MLS10412	VC	Yes	No
	Mainline	MLS10413	VC	Yes	No
	Mainline	MLS10414	VC	Yes	No
HD Supply-Seasons	None	SE10412 (top-spud)	VC	Yes	No
	None	SE10413 (top-spud)	VC	Yes	No
	None	SE10414 (top-spud)	VC	Yes	No
	None	564812 (top-spud)	VC	Yes	No
http://hdsupplysolutions.com/shop/product-seasons_urinal_0_5_gpf_washout_flush-564812					
Gerber	North-Point	HE-27-720 (top-spud)	VC	No	No
	North-Point	HE-27-730 (top-spud)	VC	No	No
	North-Point	HE-27-725 (back-spud)	VC	No	No
	North-Point	HE-27-735 (back-spud)	VC	No	No
http://www.gerberonline.com/shop/searchproduct.aspx?pi=3&kw=North+Point					
Kohler	Bardon	K-4915	VC	No	Yes
	Bardon	K-4960-ET (top-spud)	VC	Yes	No
	Bardon	K-4960-ER (rear-spud)	VC	Yes	No
	Dexter	K-5016-ER (rear-spud)	VC	Yes	No
	Dexter	K-5016-ET (top-spud)	VC	Yes	No
	Darfield	K-5024-T (top-spud)	VC	No	No
www.us.kohler.com/onlinecatalog/product_result.jsp?module=Commercial%20Urinals&category=30&subcategory=24					
Mansfield	Cascade	410 (top-spud)	VC	Yes	No
	Cascade	410RS (rear-spud)	VC	Yes	No
http://www.mansfieldplumbing.com/Product_Catalog/Builder.aspx					

Table 1. Flushing High Efficiency Urinal Fixtures (0.5 gallons per flush – 1.9 litres per flush) – continued

Manufacturer	Model Name	Model Number	Mat'l	WaterSense® compliant urinal?	Integral Flush Valve Sensor?
ProFlo (by Ferguson)	None	PF1805 (top spud, wash-out)	VC	Yes	No
	None	PF1815 (top spud, siphon-jet)	VC	Yes	No
	None	PF1825 (top spud, wash-out)	VC	Yes	No
	None	PF1835	VC	Yes	No
http://www.proflo.com/proflo/showRecordList.do?Ntt=Urinal					
Sloan Valve	Efficiency Series	SU-1005A (top spud)	VC	Yes	No
	Efficiency Series	SU-1015A (rear spud)	VC	Yes	No
	Efficiency Series	WEUS-1005-1001-0.5*	VC	Yes	No (manual)
	Efficiency Series	WEUS-1005-1201-0.5 SOLIS*	VC	Yes	Yes (electronic sensor)
	Efficiency Series	WEUS-1005-1301-0.5*	VC	Yes	
	Efficiency Series	WEUS-1005-1304-0.5 SOLIS*	VC	Yes	
	Efficiency Series	WEUS-1005-1401-0.5 ECOS*	VC	Yes	Yes (electronic sensor)
	Efficiency Series	WEUS-1205-1001-0.5*	VC	Yes	
	Efficiency Series	WEUS-1205-1301-0.5	VC	Yes	
	Efficiency Series	WEUS-1205-1410-0.5*	VC	Yes	
	Efficiency Series	SU-7009A (top spud)	VC	Yes	
	Efficiency Series	SU-7019A (rear spud)	VC	Yes	
	Efficiency Series	SU-1205A (top spud)	VC	Yes	No
	Efficiency Series	SU-1215A (rear spud)	VC	Yes	No
Efficiency Series	SU-1009A	VC	Yes		
www.sloanvalve.com/		* urinal fixture coupled with flush valve			
Toto	None	UT104E (top spud)	VC	Yes	No
	None	UT104EV (rear spud)	VC	Yes	No
	None	UT447E (top spud)	VC	Yes	No
	None	UT447EV (rear spud)	VC	Yes	No
http://www.totousa.com/Products/Urinals.aspx					
Tynan	None	7101PT	VC	Yes	No
	Charon	7100	VC	Yes	No
	Aeron	7101	VC	Yes	No
	Damon	7102	VC	Yes	No
	Avalon	7103	VC	Yes	No
Vortens (Sanitarios Lamosa)	Austral Zero5	3601 (top spud)	VC	Yes	No
	Verona Zero5	3621 (top spud)	VC	Yes	No
	http://vortens.com/				
Zurn	EcoVantage	Z5751-196 (top spud)	VC	No	No (manual)
	EcoVantage	Z5751-219 (top spud)	VC	No	No (manual)
	EcoVantage	Z5751-201 (top spud)	VC	No	Yes
	EcoVantage	Z5751-245 (top spud)	VC	No	Yes
	EcoVantage	Z5752-245 (rear spud)	VC	No	Yes
	EcoVantage	Z5752-245 (rear spud)	VC	No	Yes
www.zurn.com/pages/catalog.asp?ProductGroupID=150&OperationID=19					

Table 2. Flushing High Efficiency Urinal Fixtures (0.25 gallons per flush – 0.9 litres per flush)

Manufacturer/ Brand	Model Name	Model Number	Mat'l	WaterSense® compliant urinal?	Integral Flush Valve Sensor?
Acorn Engineering	Penal-Ware	1709HEU	SS	No	No
	http://acorneng.com/product.aspx?ProductID=1312&title=ADA+Stainless+Steel+High+Efficiency+Urinal+for+Rear+Mount+(Chase)+Application				
Sloan Valve	Efficiency Series	WEUS-1002-1001-0.25 (top spud)	VC	Yes	No (manual)
	Efficiency Series	WEUS-1002-1201-0.25 SOLIS (top spud)	VC	Yes	Yes
	Efficiency Series	WEUS-1002-1301-0.25 (top spud)	VC	Yes	Yes
	Efficiency Series	WEUS-1002-1302-0.25 (top spud)	VC	Yes	Yes
	Efficiency Series	WEUS-1002-1303-0.25 (top spud)	VC	Yes	
	Efficiency Series	WEUS-1002-1304-0.25 (top spud)	VC	Yes	
	Efficiency Series	WEUS-1002-1401-0.25 ECOS (top spud)	VC	Yes	Yes
	Efficiency Series	WEUS-1002-1402-0.25 SMO (top spud)	VC	Yes	Yes
	Efficiency Series	WEUS-1002-1403-0.25 SMOOTH (top spud)	VC	Yes	Yes
	Efficiency Series	WEUS-1012-1011-0.25 (top spud)	VC	Yes	
	Efficiency Series	WEUS-1012-1311-0.25 (top spud)	VC	Yes	
	Efficiency Series	WEUS-1202-1001-0.25 SOLIS (top spud)	VC	Yes	
	Efficiency Series	WEUS-1202-1301-0.25 (top spud)	VC	Yes	
	Efficiency Series	WEUS-1202-1410-0.25 (top spud)	VC	Yes	
	Efficiency Series	SU-1002A (top spud)	VC	Yes	No
	Efficiency Series	SU-1012A (rear spud)	VC	Yes	No
	Efficiency Series	SU-1202A (top spud)	VC	Yes	No
	Efficiency Series	SU-1212A (rear spud)	VC	Yes	No
	Efficiency Series	SU-7009A (top spud)	VC	Yes	No
	Efficiency Series	SU-7019A (rear spud)	VC	Yes	No
Efficiency Series	SU-1009A	VC	Yes		
* urinal fixture with flush valve					
http://www.sloanvalve.com/Our_Products.aspx					

Table 2. Flushing High Efficiency Urinal Fixtures (0.25 gallons per flush – 0.9 litres per flush) – continued

Manufac turer/Brand	Model Name	Model Number	Mat'l	WaterSense [®] compliant urinal?	Integral Flush Valve Sensor?
Duravit	Starck-3	082544 (top spud)	VC	Yes	No
	Starck-3	082444 (rear spud)	VC	Yes	No
http://www.duravit.us/website/homepage/products/product_overview/series/starck_3.us_en.html#filter-urinals					
ProFlo (by Ferguson)	None	PF1815PT	VC	Yes	No
http://www.proflo.com/proflo/showRecordList.do?Ntt=Urinal					
Tynan	Charon	7100PT (top spud)	VC	Yes	No
	Charon	7101PT	VC	Yes	No
Vitra	EverGreen	5321-XXX-0198 (top spud)	VC	No	No (manual-available)
	EverGreen	5321-XXX-0199 (rear spud)	VC	No	No (manual-available)
http://usa.vitra.com.tr/vitrakatalog/seramik_banyo_takimlari.aspx?category=002004001&product=5231B003_0198					

Table 3. Flushing High-Efficiency Urinal Fixtures (1-pint/0.125 gal per flush – 0.5 litres per flush)

Manufacturer/ Brand	Model Name	Model Number	Mat'l	WaterSense [®] compliant urinal?	Integral Flush Valve Sensor?
Acorn Engineering	Penal-Ware	1709HEU	SS	No	No
	http://acorneng.com/product.aspx?ProductID=1312&title=ADA+Stainless+Steel+High+Efficiency+Urinal+for+Rear+Mount+(Chase)+Application				
American Standard	Washbrook Flowise 0.125	6515.125 (back spud)	VC	Yes	No
	Washbrook Flowise Universal	6515.001 (back spud)	VC	Yes	No
	Washbrook Flowise 0.125 Universal	6115.001 (top spud)	VC	Yes	No
	Washbrook Flowise 0.125 (with Am Standard 6063.013 WaterSense flushometer valve)	Combination No. 6590.525 (back spud)	VC	Yes	Yes (battery)
	Washbrook Flowise 0.125	6590.125 (top spud)	VC	Yes	No
	Washbrook Flowise Universal	6590.001 (top spud)	VC	Yes	No
http://www.americanstandard-us.com/bathroom-products/urinals/					
Cascadian Sanitary Ware	Washout	U101HE	VC	Yes	No
	http://www.cascadianmarketing.com/index.php?page=product_details&id=558				
CYI Industry Ltd.	Washout	U580	VC	Yes	No
Kohler	Bardon	K-4904-ER (rear spud)	VC	Yes	No
	Bardon	K-4904-ET (top spud)	VC	Yes	No
	Steward Hybrid	K-5244-ET	VC	Yes	No
search.us.kohler.com/?q=K-4904&x=14&y=3					
Mansfield	Brevity	421 (top spud)	VC	No	No
	Brevity	422 (top spud)	VC	Yes	No
	Brevity	422RS (rear spud)	VC	Yes	No
http://www.mansfieldplumbing.com/Product-Catalog/Builder.aspx					
ProFlo (by Ferguson)	None	PF1815PT	VC	Yes	No
http://www.proflo.com/proflo/showRecordList.do?Ntt=Urinal					
Sloan Valve	Efficiency Series	WEUS 1010.1011-0.125 (rear spud)*	VC	Yes	No (manual)
	Efficiency Series	WEUS 1000.1001-0.125 (top spud)*	VC	Yes	No (manual)
	Efficiency Series	WEUS 1010.1311-0.125 ESS (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1010.1312-0.125 (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1010.1313-0.125 (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1010.1331-0.125 (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1000.1201-0.125 SOLIS (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1000.1301-0.125 ESS (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1000.1302-0.125 HWS (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1000.1303-0.125 ESS OR (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1000.1304-0.125 ESS OR (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1000.1331-0.125 ESS OR (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1000.1401-0.125 ECOS (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1000.1411-0.125 HW ECOS C (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1000.1402-0.125 SMO (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1000.1403-0.125 SMOOTH (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1200.1001-0.125 (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1200.1201-0.125 (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1200.1301-0.125 (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1200.1410-0.125 (top spud)*	VC	Yes	
	Efficiency Series	SU-1000A (top spud)	VC	Yes	No
	Efficiency Series	SU-1010A (rear spud)	VC	Yes	No
	Efficiency Series	SU-1200A (top spud)	VC	Yes	No
	Efficiency Series	SU-1210A (rear spud)	VC	Yes	No
	Efficiency Series	SU-7009 (top spud)	VC	Yes	No
	Efficiency Series	SU-7019 (rear spud)	VC	Yes	No
	Efficiency Series	SU-1009 (rear spud)	VC	Yes	No
http://www.sloanvalve.com/Our_Products.aspx					
		*-urinal fixture coupled with flush valve			
Toto	None	UT105U (top spud)	VC	Yes	No
	None	UT105UV (rear spud)	VC	Yes	No
	None	UT105UG	VC	Yes	No
	None	UT105UVG	VC	Yes	No
http://www.totousa.com/Products/Urinals.aspx					

Table 3. Flushing High-Efficiency Urinal Fixtures (1-pint/0.125 gal per flush – 0.5 litres per flush) - cont'd

Manufacturer/ Brand	Model Name	Model Number	Mat'l	WaterSense [®] compliant urinal?	Integral Flush Valve Sensor?
Tynan	Charon	7100PT	VC	Yes	No
Vortens - Lamosa	Austral Zero5	3601 (top spud)	VC	Yes	No
	Verona Zero5	3621 (top spud)	VC	Yes	No
http://vortens.com/					
Zurn	The Pint	Z5798.205 (top spud)	VC	F/V	Yes
	The Pint	Z5798.206 (top spud)	VC	Yes (fixture certified with 5 different certified Zurn flush valves)	Yes
	The Pint	Z5798.207 (top spud)	VC		No (manual)
	The Pint	Z5798.235 (top spud)	VC		Yes
	The Pint	Z5798.234 (top spud)	VC	Yes	Yes
	The Pint	Z5799 (rear spud)	VC	F/V - Yes	Yes
	Small Pint	Z5738.205 (top spud)	VC	F/V	Yes
	Small Pint	Z5738.206 (top spud)	VC	Yes (fixture certified with 5 different certified Zurn flush valves)	Yes
	Small Pint	Z5738.207 (top spud)	VC		No (manual)
	Small Pint	Z5738.235 (top spud)	VC		Yes
	Small Pint	Z5738.234 (top spud)	VC		Yes
	Retrofit Pint	Z5758.205 (top spud)	VC	F/V	Yes
	Retrofit Pint	Z5758.206 (top spud)	VC	Yes (fixture certified with 5 different certified Zurn flush valves)	Yes
	Retrofit Pint	Z5758.207 (top spud)	VC		No (manual)
	Retrofit Pint	Z5758.235 (top spud)	VC		Yes
	Retrofit Pint	Z5758.234 (top spud)	VC		Yes
	Retrofit Pint	Z5759 (rear spud)	VC	F/V - Yes	Yes
	Full Stall Pint	Z5792.205 (top spud)	VC	No	Yes
	Full Stall Pint	Z5792.206 (top spud)	VC	No	Yes
	Full Stall Pint	Z5792.207 (top spud)	VC	No	No (manual)
	Full Stall Pint	Z5792.235 (top spud)	VC	No	Yes
	Full Stall Pint	Z5792.234 (top spud)	VC	No	Yes
	Nano Pint	Z5708.205 (top spud)	VC	F/V	Yes
	Nano Pint	Z5708.206 (top spud)	VC	Yes (fixture certified with 5 different certified Zurn flush valves)	Yes
	Nano Pint	Z5708.207 (top spud)	VC		No (manual)
	Nano Pint	Z5708.235 (top spud)	VC		Yes
Nano Pint	Z5708.234 (top spud)	VC	Yes		

www.zurn.com/pages/catalog.asp?ProductGroupID=150&OperationID=19

Table 4. WaterSense®-Compliant High-Efficiency Flushometer Valves (Flushing Devices for Urinals)

Manufacturer/Brand	Model Name	Model Number	Flush Volume
Advanced Modern Technologies (AMTC)	None	MF-700-U18	0.125 gpf – 0.5 Lpf
	None	MF-700-U05	0.5 gpf – 1.9 Lpf
http://www.amtccorporation.com/			
American Standard	FloWise	6045.013	0.125 gpf – 0.5 Lpf
	FloWise	6045.051	0.5 gpf – 1.9 Lpf
	FloWise	6045.505	0.5 gpf – 1.9 Lpf
	Selectronic	6061.201	0.125 gpf – 0.5 Lpf
	Selectronic	6061.301	0.125 gpf – 0.5 Lpf
	Selectronic	6061.401	0.125 gpf – 0.5 Lpf
	Selectronic	6061.501	0.125 gpf – 0.5 Lpf
	Selectronic	6062.201	0.125 gpf – 0.5 Lpf
	Selectronic	6062.301	0.125 gpf – 0.5 Lpf
	Selectronic	6062.401	0.125 gpf – 0.5 Lpf
	Selectronic	6062.501	0.125 gpf – 0.5 Lpf
	Selectronic	6063.013	0.125 gpf – 0.5 Lpf
	Selectronic	6063.201	0.125 gpf – 0.5 Lpf
	Selectronic	6063.301	0.125 gpf – 0.5 Lpf
	Selectronic	6063.401	0.125 gpf – 0.5 Lpf
	Selectronic	6063.501	0.125 gpf – 0.5 Lpf
	Selectronic	6063.513	0.125 gpf – 0.5 Lpf
	Selectronic	6064.205	0.5 gpf – 1.9 Lpf
	Selectronic	6064.305	0.5 gpf – 1.9 Lpf
	Selectronic	6064.405	0.5 gpf – 1.9 Lpf
	Selectronic	6064.505	0.5 gpf – 1.9 Lpf
	Selectronic	6062.205	0.5 gpf – 1.9 Lpf
	Selectronic	6062.305	0.5 gpf – 1.9 Lpf
	Selectronic	6062.405	0.5 gpf – 1.9 Lpf
	Selectronic	6062.505	0.5 gpf – 1.9 Lpf
	Selectronic	6063.051	0.5 gpf – 1.9 Lpf
	Selectronic	6063.205	0.5 gpf – 1.9 Lpf
	Selectronic	6063.305	0.5 gpf – 1.9 Lpf
	Selectronic	6063.405	0.5 gpf – 1.9 Lpf
	Selectronic	6063.505	0.5 gpf – 1.9 Lpf
	Selectronic	6063.515	0.5 gpf – 1.9 Lpf
	FloWise	7015.051	0.5 gpf – 1.9 Lpf
	Selectronic	7093.051	0.5 gpf – 1.9 Lpf
Concealed Solis	8195-05	0.5 gpf – 1.9 Lpf	
http://www.americanstandard-us.com/searchResults.aspx?d=1&t=29&a=263			
Crane	None	6113.051	0.5 gpf – 1.9 Lpf
	None	6725.051	0.5 gpf – 1.9 Lpf
http://www.cranepumbing.com/searchResults.aspx?d=4&t=30			
Delta	None	81T2a1-b-cd05	0.125 gpf – 0.5 Lpf
	None	81T2a1-b-cd19	0.5 gpf – 1.9 Lpf
	None	81T231-a05-WMSb	0.125 gpf – 0.5 Lpf
	None	81T231-a19-WMSb	0.5 gpf – 1.9 Lpf
	None	81T2a1b-c-de-f05-g	0.125 gpf – 0.5 Lpf
	None	81T2a1b-c-de-f19-g	0.5 gpf – 1.9 Lpf
	None	81TURaRKA-05	0.125 gpf – 0.5 Lpf
	None	81TURaRKA-19	0.5 gpf – 1.9 Lpf
	None	83Tabc-d05	0.125 gpf – 0.5 Lpf
	None	83Tabc-d19	0.5 gpf – 1.9 Lpf
	None	1601T6a0bc-d05	0.125 gpf – 0.5 Lpf
	None	1601T6a0bc-d19	0.5 gpf – 1.9 Lpf
	None	1600T6a0bc-d05-e	0.125 gpf – 0.5 Lpf
	None	1600T6a0bc-d19-e	0.5 gpf – 1.9 Lpf
http://www.specselect.com/ProductLineSelector.aspx?FunctionType=FlushValves&ActivationType=1			
Kohler	Touchless	K-10949	0.125 gpf – 0.5 Lpf
	Touchless	K-10958	0.5 gpf – 1.9 Lpf
	Wave	K-10668	0.125 gpf – 0.5 Lpf
	Wave	K-10675	0.5 gpf – 1.9 Lpf
	None	K-13519	0.5 gpf – 1.9 Lpf
	None	K-13520	0.125 gpf – 0.5 Lpf
	http://www.us.kohler.com/onlinecatalog/product_result_gen.jsp?category=20&dynamic=y&attribute=k6d_type&filterVal=Manual%20Urinal&sectionVal=Flushometers		
Moen	None	8315	0.5 gpf – 1.9 Lpf
	None	8315AC05	0.5 gpf – 1.9 Lpf
	None	8316	0.125 gpf – 0.5 Lpf
	None	8316AC	0.5 gpf – 1.9 Lpf
	None	8312M05	0.5 gpf – 1.9 Lpf
	None	8312M0125	0.125 gpf – 0.5 Lpf
	None	8312MR05	0.5 gpf – 1.9 Lpf
	None	8312MR0125	0.125 gpf – 0.5 Lpf
http://pro.moen.com/commercial/flush-valves/ /N-6aq			

Table 4. WaterSense®-Compliant High-Efficiency Flushometer Valves (Flushing Devices for Urinals)-cont'd

Manufacturer/Brand	Model Name	Model Number	Flush Volume
Sloan Valve	Sloan, Royal or Ecos	186-0.125	0.125 gpf – 0.5 Lpf
	Sloan or Royal	186-0.125 ESS	0.125 gpf – 0.5 Lpf
	Sloan, Royal or Ecos	186-0.25	0.25 gpf – 0.95 Lpf
	Sloan or Royal	186-0.25 ESS	0.25 gpf – 0.95 Lpf
	Sloan, Regal, Royal, Ecos, Gem, or Crown	186-0.5	0.5 gpf – 1.9 Lpf
	Sloan or Royal	186-0.5 ESS	0.5 gpf – 1.9 Lpf
	Royal	188-0.5	0.5 gpf – 1.9 Lpf
	Sloan, Regal, or Royal	194-0.5	0.5 gpf – 1.9 Lpf
	Royal	195-0.125 ESS	0.125 gpf – 0.5 Lpf
	Royal	195-0.25 ESS	0.25 gpf – 0.95 Lpf
	Royal	195-0.5 ESS	0.5 gpf – 1.9 Lpf
	Sloan, Regal, or Royal	195-0.5	0.5 gpf – 1.9 Lpf
	Sloan, Regal, or Royal	197-0.5	0.5 gpf – 1.9 Lpf
	Royal	613-0.5	0.5 gpf – 1.9 Lpf
	Ecos or Solis	8186-0.125	0.125 gpf – 0.5 Lpf
	Ecos or Solis	8186-0.25	0.25 gpf – 0.95 Lpf
	Ecos, Solis, or G2 Optima Plus	8186-0.5	0.5 gpf – 1.9 Lpf
	Solis	8195-0.5	0.5 gpf – 1.9 Lpf
Royal Prison	9613-0.5	0.5 gpf – 1.9 Lpf	
http://www.sloanvalve.com/Our_Products.aspx			
Toto	EcoPower	TEU1UN	0.125 gpf – 0.5 Lpf
	EcoPower	TEU2UN	0.125 gpf – 0.5 Lpf
	EcoPower	TEU3UN	0.125 gpf – 0.5 Lpf
	EcoPower	TEU1LN	0.5 gpf – 1.9 Lpf
	Manual	TMU1LN	0.5 gpf – 1.9 Lpf
http://www.totousa.com/Products/FlushValves.aspx			
Zurn	AquaVantage	Z6003AV-ULF	0.125 gpf – 0.5 Lpf
	AquaVantage	ZER6003AV-ULF	0.125 gpf – 0.5 Lpf
	AquaSense	ZEMS6003AV-ULF	0.125 gpf – 0.5 Lpf
	AquaSense	ZEMS6003AV-ULF-IS	0.125 gpf – 0.5 Lpf
	AquaVantage	ZEG6003AV	0.125 gpf – 0.5 Lpf
	EcoVantage	ZEG6003EV	0.125 gpf – 0.5 Lpf
	AquaSense	ZTR6203-ULF	0.125 gpf – 0.5 Lpf
	AquaSense	ZTR6201-ULF	0.125 gpf – 0.5 Lpf
http://www.zurn.com/pages/catalog.asp?ProductGroupID=184&ProductName=Z6003AV%2DULF#p5202			

Table 5. Non-Water (Waterless) High-Efficiency Urinal Fixtures¹

IMPORTANT NOTE: Urinals listed in this Table 5 are NOT included in the WaterSense Program due to their non-water use, but are designed to perform the same waste removal function as flushing urinals.

Manufacturer/ Brand	Model Name	Model Number	Trap Design ²	Material
Acorn	Dura-Ware	2159	Self sealing waste valve (duckbill) ²	SS
http://acorneng.com/product.aspx?ProductId=1314&title=ADA+Stainless+Steel+Waterless+Urinal				
American Standard	FloWise Flush Free	6150.100	Liquid seal	VC
	FloWise Flush Free	6154.100	Liquid seal	VC
	FloWise Flush Free	6155.100	Liquid seal	VC
	FloWise Flush Free	6156.100	Liquid seal	VC
http://www.americanstandard-us.com/bathroom-products/urinals/				
Caroma	H2 Zero	678500	Self sealing waste valve ² supplemented with liquid seal	VC
http://www.caromausa.com/products/index/cu_product_category4/cu_products.php?product_range=18&keywords=				
Duravit	Dry Urinal	084436	Liquid seal	VC
	Architec Dry	081835	Liquid seal	VC
http://www.duravit.us/website/homepage/products/product_overview/series/architec.us-en.html#filter-urinals				
Falcon	WaterFree	F-1000	Liquid seal	VC
	WaterFree	F-2000	Liquid seal	VC
	WaterFree	F-4000	Liquid seal	VC
	WaterFree	F-5000	Liquid seal	VC
	WaterFree	F-6000	Liquid seal	VC
	WaterFree	F-7000	Liquid seal	VC
	WaterFree	F-8000	Liquid seal	VC
	WaterFree	F-9000SS	Liquid seal	SS
www.falconwaterfree.com/products/us.htm				
Rubbermaid Commercial	ecoUrinal	751220	Liquid seal	VC
http://www.rubbermaidcommercial.com/rcp/products/detail.jsp?rcpNum=751220				
Kohler	Steward	K-4917	Liquid seal	VC
	Steward	K-4918	Liquid seal	VC
	Steward	K-4919	Liquid seal	VC
search.us.kohler.com/?q=steward				
Sloan	WaterFree	WES-1000	Liquid seal	VC
	WaterFree	WES-2000	Liquid seal	VC
	WaterFree	WES-4000	Liquid seal	VC
	WaterFree	WES-5000	Liquid seal	VC
	WaterFree	WES-7000	Liquid seal	VC
http://www.sloanvalve.com/Specifications/Waterfree_WES-1000_Urinal.pdf				
Urimat	Eco	14.001	Liquid seal	Composite
	Eco	15.001	Liquid seal	Composite
	Ecoplus	16.001	Liquid seal	Composite
	Ecovideo	16.971	Liquid seal	Composite
	Ceramic	12.201	Liquid seal	VC
	Ceramic	12.301	Liquid seal	VC
http://www.urimat.com/				
Waterless[®]	Anza	2005	Liquid seal	Composite
	Kalahari	2003	Liquid seal	Composite
	Kalahari	2003B (bottom drain)	Liquid seal	Composite
	Sonora	2004	Liquid seal	Composite
	Sonora	2004B (bottom drain)	Liquid seal	Composite
	Yukon	2101	Liquid seal	VC
	Borrego	2103	Liquid seal	VC
	Baja	2104	Liquid seal	VC
	Del Mar	2901 (shipboard)	Liquid seal	Composite
	Del Casa	2902 (home or space saving)	Liquid seal	Composite
	Santa Fe	2903	Liquid seal	Composite
www.waterless.com/				
Xela	None	ZF-101	Liquid seal	
	None	ZF-201	Liquid seal	
	None	ZF-401	Liquid seal	
	None	ZF-501	Liquid seal	
Zero Flush	None	ZF-101	Liquid seal	VC
	None	ZF-201	Liquid seal	VC
	None	ZF-301	Liquid seal	SS
	None	ZF-401	Liquid seal	VC
	None	ZF-501	Liquid seal	VC
	None	ZFT-0405 (trough urinal)	Liquid seal	SS
www.zeroflush.com/				
Zero H2O (R Turner Associates)	Marmara	ZL-28	Liquid seal	VC
	Coral	ZM-25	Liquid seal	VC
	Baffin	ZS-20	Liquid seal	VC
http://www.zero-h2o.com/				
Zurn	Ecovantage	Z5795	Liquid seal	VC
www.zurn.com/pages/catalog.asp?ProductGroupID=150&OperationID=19				

Material Key:

VC – Vitreous China
SS – Stainless Steel

Notes on WaterSense Certification:

1 - The flushing urinal fixtures noted as WaterSense® compliant in Tables 1, 2, and 3 have been fully tested and certified by an independent, accredited laboratory as meeting the specification's requirements, after which they are listed by an approved Certifying Body. However, in some cases, the necessary certification paperwork has not yet been submitted to the WaterSense® program and, as a result, these fixtures may not yet appear on the official WaterSense® website.

2 – IMPORTANT: The urinal listings shown as WaterSense®-compliant in Tables 1, 2, and 3 are for the certified urinal fixtures. In some cases, this certification also includes the flush valve, which is also required to be WaterSense® compliant. Check with the manufacturer to determine what components are associated with the certified products in these lists.

3 - Flush valves are separately tested and certified to the requirements of the WaterSense® specification. These certified valves are listed in Table 4.

General Notes on Non-Water Urinals:

1 – Some North American jurisdictions and some plumbing code provisions do not permit the installation of non-water urinals, even though those non-water urinals with a liquid seal are covered within two ANSI standards: ASME A112.19.19 for vitreous china non-water urinal fixtures and IAPMO Z124.9 for plastic urinal fixtures.

2 – Some jurisdictions do not allow the installation of urinals with self-sealing waterless waste valves (non-liquid or mechanical seals, sometimes termed “duckbills”). These urinals are listed by IAPMO as qualifying to “IAPMO Guide Criteria for Waterless Urinals, IGC 161-2006a” but may not be permitted by local codes and/or national standards.

It is very important that the specifier, designer, and/or purchaser first check with the local jurisdictional authority to determine if and where such fixtures are permitted.

General Note for High-Efficiency Flushing Urinals: All flushing HEUs must meet the very same waste removal performance requirements as all other flushing urinals sold in North America. All urinals, regardless of flush volume, may experience problems when installed in commercial building locations with degraded, aging, or poorly installed drainline systems, e.g., insufficient drainline slope, dips and sags, pre-existing buildup of solids, etc. In most cases, additional sources of wastewater upstream of the urinal fixture may help to reduce, defer, or prevent solids build-up in the drainline.

DISCLAIMER:

The information contained herein was gathered from sources deemed reliable and is believed to be correct at the time of posting or publication. However, the authors cannot guarantee that all of the information is either correct or current. The authors take no responsibility for the subsequent communication or use of the information presented herein. Therefore, readers are strongly encouraged to perform their own research into HEUs before making specifying or purchasing decisions.

NOTE: Organizations wishing to cite or post this listing must give credit to the AUTHORS and may not manipulate, revise, or truncate this listing without the written permission of the AUTHORS.

For further information on this listing and High-Efficiency Urinals, contact the AUTHORS:

John Koeller at 714-777-2744 or jkoeller@map-testing.com

Bill Gauley at 519-853-4057 or bill@gauley.ca