

List of Qualifying Toilet Models

1.1 gallons per flush or less average flush volume

January 2017

This List of Qualifying Toilet Models is valid for the service providers listed below. Contact your local water or sanitation service provider for information about the toilet retrofit and incentive programs available in your area. **Always determine your program eligibility before purchase.** Requirements and restrictions apply and vary by service provider.

This list is updated periodically. To view or download the most current list, visit your service provider's website or call your service provider.

Participating Sanitation Service Providers

Airport / Larkfield / Wikiup Sanitation Zone
 Geyserville Sanitation Zone
 Occidental County Sanitation District
 Penngrove Sanitation Zone
 Russian River County Sanitation District
 Sea Ranch Sanitation Zone
 Sonoma Valley County Sanitation District
 (707) 547-1918

Participating Water Service Providers

North Marin Water District - (415) 761-8944
 waterconserve@nmwd.com
 City of Rohnert Park - (707) 585-6750
 City of Sonoma - (707) 933-2237
 City of Sebastopol - (707) 823-8597
 Sweetwater Springs Water District - (707) 869-4000
 Valley of the Moon Water District - (707) 996-1037
 Town of Windsor - (707) 838-5357

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
American Standard	Cadet 3 FloWise Pressure-Assist EL ADA	2467.100	3483.100	4142.100	1000	WS	PA
American Standard	Cadet Pressure-Assist EL	2462.100	3481.100	4142.100	1000	WS	PA
American Standard	H2Optimum UHET SF EL	288CA.114020	3706.216	4133A.114	600	WS	GF
American Standard	H2Optimum UHET SF EL ADA	288AA.114020	3705.216	4133A.114	600	WS	GF
American Standard	H2Optimum UHET SF RF	288DA.114020	3708.216	4133A.114	600	WS	GF
American Standard	Yorkville FloWise Pressure-Assist EL (back outlet)	2876.1	3701.100 OR 3701.001	4142.1	1000	WS	PA
American Standard	Yorkville FloWise Pressure-Assist EL (back outlet)	2876.1	3701.100 OR 3701.001	4142.1	1000	WS	PA
American Standard	Yorkville FloWise Pressure-Assist EL ADA (back outlet)	2878.1	3703.100 OR 3703.001	4142.1	1000	WS	PA
AmeriSink	None EL ADA	AS405	C-6008D	T-6008D	NM	WS	DF
AmGreen	None EL (1.0 gpf)	-	AG25B	AG20T	1000	WS	GF
AmGreen	None RF (1.0 gpf)	-	AG20B	AG20T	1000	WS	GF
Briggs	Dalton (by Axent)	4690	4321	4100	NM	WS	GF
Briggs	Dalton (by Axent)	4695	4322	4100	NM	WS	GF
Briggs	Dalton (by Axent)	4698	4323	4100	NM	WS	GF
Caroma	Adelaide 270 CC Cube RF	-	834000	814790	NM	WS	DF
Caroma	Adelaide 270 CC Standard RF	-	834000	814328	NM	WS	DF

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
Caroma	Adelaide 270 EH Cube RF ADA	-	825500	814790	NM	WS	DF
Caroma	Adelaide 270 EH Standard RF ADA	-	825500	814328	NM	WS	DF
Caroma	Brisbane 270 RF	-	833900	810266	NM	WS	DF
Caroma	Caravelle One-Piece RF	989646	-	-	600	WS	DF
Caroma	Caravelle One-Piece RF ADA	989668	-	-	NM	WS	DF
Caroma	Caravelle Smart 270 EL ADA (1.28/0.8gpf)(1-piece)	989900	-	-	NM	WS	DF
Caroma	Invisi II Cube Wall Mount	-	604300	237061/237062	NM	WS	DF
Caroma	Invisi II Walvit EL (ADA optional)	-	604119	237061/237062	NM	WS	DF
Caroma	Profile Smart 270 EL ADA	-	609120	840240	NM	WS	DF
Caroma	Profile Smart 305 RF (1.28/0.8 gpf)	-	609151A	840420	800	WS	DF
Caroma	Somerton 270 RF ADA (1.28/0.8 gpf)	-	829108	810788	600	WS	DF
Caroma	SSI One RF ADA (1.0gpf)	-	301381	301381	800	WS	GF
Caroma	Sydney 305 EL ADA (1-piece)(1.28/0.8 gpf)	828908	-	-	500	WS	DF
Caroma	Sydney 305 RF ADA (1-piece)(1.28/0.8 gpf)	828808	-	-	500	WS	DF
Caroma	Sydney Low Profile 270 EH EL ADA	-	609120	622330WADAL	800	WS	DF
Caroma	Sydney Low Profile 270 EH EL ADA	-	609120	622330	NM	WS	DF
Caroma	Sydney Low Profile 270 RF ADA	-	609177	922330	600	WS	DF
Caroma	Sydney Low Profile 305 EL	-	609130	622330	500	WS	DF
Caroma	Sydney Low Profile 305 RF	-	609151A	622330	NM	WS	DF
Caroma	Sydney Smart 2 305 EL ADA	-	305102	302100	1000	WS	GF
Caroma	Sydney Smart 2 305 RF ADA	-	305101	302100	1000	WS	GF
Caroma	Sydney Smart 270 EL (1.28/0.8 gpf)	-	609100	622322	800	WS	DF
Caroma	Sydney Smart 270 EL ADA (1.28/0.8 gpf)	-	609120	622322	800	WS	DF
Caroma	Sydney Smart 270 RF (1.28/0.8 gpf)	-	609159	622322	800	WS	DF
Caroma	Sydney Smart 270 RF ADA (1.28/0.8 gpf)	-	609177	622322	800	WS	DF
Caroma	Sydney Smart 305 EL (1.28/0.8 gpf)	-	609130	622322	600	WS	DF
Caroma	Sydney Smart 305 RF (1.28/0.8 gpf)	-	609151A	622322	NM	WS	DF
Caroma	Sydney Smart II EL ADA (1.28/0.8gpf)	-	305102	302100	1000	WS	DF
Caroma	Sydney Smart Point-8 EL (1.0/0.7gpf)	-	609130W	622328W	NM	WS	DF
Caroma	Sydney Smart Point-8 RF (1.0/0.7gpf)	-	609151W	622328W	500	WS	DF
Caroma	Sydney Smart RF Rear Outlet (1.28/0.8 gpf)	-	609450	622322	800	WS	DF
Cascadian Sanitary Ware	None EL (1.0 gpf)	-	C202	T201	1000	WS	GF
Cascadian Sanitary Ware	None RF (1.0 gpf)	-	C201	T201	1000	WS	GF
Cascadian Sanitary Ware	Roma II EL (1-piece)	C750	-	-	800	WS	DF
Cascadian Sanitary Ware	Toscana EL ADA	-	C930	T981	800	WS	DF
Cascadian Sanitary Ware	Toscana RF ADA	-	C920	T981	800	WS	DF
Chelini - Cobban	Baresi EL (1-piece)	BT2103	-	-	800	WS	DF
Chelini - Cobban	Marabella EL ADA (1-piece)	BT1516E336	-	-	1000	WS	DF
Chelini - Cobban	Marabella RF ADA (1-piece)	BT1516R336	-	-	1000	WS	DF
Chelini - Cobban	None EL (1.28/0.8 gpf)	-	B1215E3	TDF1233248	1000	WS	DF
Chelini - Cobban	None EL ADA (1.28/0.8 gpf)	-	B1216E3	TDF1233248	800	WS	DF
Chelini - Cobban	None RF (1.28/0.8 gpf)	-	B1215R3	TDF1233248	1000	WS	DF
Chelini - Cobban	None RF ADA (1.28/0.8 gpf)	-	B1216R3	TDF1233248	1000	WS	DF
Conrac	Cadell RF	5730BFVU	B5730BFVU	T5730BFVU	600	WS	GF
Conrac	Cadell RF (1.0gpf)	5730BFVU	B5730BFVU	T5730BFVU	800	WS	GF

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
Conrac	Cadell RF (lined tank)	5730BFV	B5730BFVU	T5730BFVU	600	WS	GF
Conrac	Camri EL	4720BEWU	4722BEW	4721BFVU	800	WS	DF
Conrac	Camri EL (lined tank)	4720BEW	4722BEW	4721BFW	800	WS	DF
Conrac	Canby EL (1-piece) (1.28/0.8 gpf)	5710BEXU	-	-	800	WS	DF
Conrac	Canby EL (1-piece) (lined tank) (1.28/0.8 gpf)	5710BEX	-	-	800	WS	DF
Conrac	Case EL ADA (1.0 gpf)	5730BOV	B5730BOVU	T5730BOV	600	WS	GF
Conrac	Case EL ADA (1.0 gpf)	5730BOVU	B5730BOVU	T5730BOVU	600	WS	GF
Conrac	Case EL ADA (1.0 gpf)	5730BOVU	B5730BOVU	T5730BOVU	800	WS	GF
Conrac	Cato EL (1.0 gpf)	5730BEV	5730BEVU	T5730BEV	600	WS	GF
Conrac	Cato EL (1.0 gpf)	5730BEVU	5730BEVU	T5730BEVU	600	WS	GF
Conrac	Cato EL (1.0gpf)	5730BEVU	5730BEVU	T5730BEVU	800	WS	GF
Conrac	Chane EL ADA	5720BMY	5722BMY	5721BOY	1000	WS	GF
Conrac	Claire RF (1-piece) (1.28/0.8 gpf)	5710BFFX	-	-	800	WS	DF
Conrac	Claire RF (1-piece) (1.28/0.8 gpf)	5710BFFXU	-	-	800	WS	DF
Conrac	Clancy RF ADA	5730BIVU	B5730BIVU	T5730BIVU	800	WS	GF
Conrac	Clancy RF ADA (1.0 gpf)	5730BIV	B5730BIV	T5730BIV	600	WS	GF
Conrac	Clancy RF ADA (1.0 gpf)	5730BIVU	B5730BIVU	T5730BIVU	600	WS	GF
Conrac	Cleo EL ADA (1.0 gpf)	5720BOY	B5722BOY	T5721BOY	1000	WS	PA
Conrac	Cullen EL ADA	4720BIWU	4722BIW	4721BFVU	800	WS	DF
Conrac	Cullen EL ADA (lined tank)	4720BIW	4722BIW	4721BFW	800	WS	DF
Crane	Economiser One Bigfoot EL ADA	31888	31128	31612	NM	WS	PA
Dolphin Plumbing Industrial	Edmonton RF (1.0 gpf)	-	Z88R15	S8803	600	WS	GF
Dolphin Plumbing Industrial	Ottawa RF (1.28/0.8 gpf)	-	Z15R15	S23348	1000	WS	GF
Dolphin Plumbing Industrial	Ottawa RF ADA (1.2/0.84 gpf)	-	Z59R16	S23348	1000	WS	DF
Dolphin Plumbing Industrial	Portland RF ADA (1.0 gpf)	-	Z59R16	S22338	800	WS	GF
Duravit	2nd Floor (wall hung bowl)	-	220009	111.335	NM	WS	DF
Duravit	D-Code (rear discharge)	-	220909	111.335	NM	WS	DF
DXV (American Standard)	AT200 EL (1-piece) (electronic)	D29020CS416	-	-	500	WS	PA
ECO-FITT (by Niagara)	Power One EL	N2310	2310B	2310T	1000	WS	PA
Evergreen Smart Energy	Humble Bee EL (1.0 gpf)	-	EG25SWH	EG20TSWH	1000	WS	GF
Evergreen Smart Energy	Humble Bee EL ADA (1.0 gpf)	-	EG25HSWH	EG20TSWH	1000	WS	GF
Evergreen Smart Energy	Humble Bee RF (1.0 gpf)	-	EG20BSWH	EG20TSWH	1000	WS	GF
Foremost	Aria HET Dual Flush (wall hung, in-wall tank)	-	LL-1041	CT-1041DF	600	WS	DF
Foremost	Dietrich RF (lined tank)	TL-7235	LL-7236	T-7237-*L	800	WS	DF
Foremost	HET RF	TL-8142-*L	LL-8142	T-814	1000	WS	DF
Foremost	None (1.0 gpf)	C5730BEX	5732BEX	5731BFX	NM	WS	GF
Foremost	None (1.0 gpf)	C5730BEXU	5732BEX	5731BFXU	NM	WS	GF
Foremost	None (1.0 gpf)	C5730BFX	5732BFX	5731BFX	NM	WS	GF
Foremost	None (1.0 gpf)	C5730BFXU	5732BFX	5731BFXU	NM	WS	GF
Foremost	None (1.0 gpf)	C5730BIX	5732BIX	5731BFX	NM	WS	GF
Foremost	None (1.0 gpf)	C5730BIXU	5732BIX	5731BFXU	NM	WS	GF
Foremost	None (1.0 gpf)	C5730BOX	5732BOX	T5731BFX	NM	WS	GF
Foremost	None (1.0 gpf)	C5730BOXU	5732BOX	T5731BFXU	NM	WS	GF
Foremost	None (1.28/0.8 gpf)	C4720BLW	4722BLW	4721BPW	NM	WS	GF
Foremost	None (1.28/0.8 gpf)	C4720BLWU	4722BLW	4721BPWU	NM	WS	GF
Foremost	None (1.28/0.8 gpf)	C4720BNW	4722BNW	4721BPW	NM	WS	GF

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
Foremost	None (1.28/0.8 gpf)	C4720BNWU	4722BNW	4721BPWU	NM	WS	GF
Foremost	None EL (1.0 gpf)	AO1-005775E	LL-775E	T1-005	600	WS	GF
Foremost	None EL (lined tank) (1.0 gpf)	AO1-005775E*L	LL-775E	T1-005*L	600	WS	GF
Foremost	None EL ADA (1.0 gpf)	AO1-005887E	LL-887E	T1-005	600	WS	GF
Foremost	None EL ADA (1.1 gpf)	AO4-035177E	LL-177E	T4-035	800	WS	GF
Foremost	None EL ADA (1.1 gpf)	AO4-045167E	LL-167E	T4-045	800	WS	GF
Foremost	None EL ADA (1.1 gpf)	AO4-045177E	LL-177E	T4-045	800	WS	GF
Foremost	None EL ADA (1.1 gpf)	AO4-215177E	LL-177E	T4-215	800	WS	GF
Foremost	None EL ADA (1.1 gpf)	AO4-425177E	LL-177E	T4-425	800	WS	GF
Foremost	None EL ADA (1.1 gpf)	AO4-825177E	LL-177E	T4-825	800	WS	GF
Foremost	None EL ADA (insulated) (1.0 gpf)	AO1-005887E*L	LL-887E	T1-005*L	600	WS	GF
Foremost	None EL wall mount (ADA possible)	-	LL-1041E-W	CT-1041DF	400	WS	DF
Foremost	None HET EL ADA (1.0 gpf)	AO1-005887E*L	LL-887E*	T1-005*	800	WS	GF
Foremost	None HET EL ADA (1.0 gpf)	-	LL-887E*	T-006-*	800	WS	GF
Foremost	None RF (1.0 gpf)	AO1-005775R	LL-775R	T1-005	600	WS	GF
Foremost	None RF (1.0 gpf)	A01-005775R*L	LL-775R	T1-005*L	800	WS	GF
Foremost	None RF (lined tank) (1.0 gpf)	AO1-005775R	LL-775R	T1-005*L	600	WS	GF
Foremost	None RF ADA (insulated) (1.0 gpf)	AO1-005887R	LL-887R	T1-005	600	WS	GF
Foremost	None RF ADA (insulated) (1.0 gpf)	AO1-005887R*L	LL-887R	T1-005*L	600	WS	GF
Foremost	Solar RF (1.0 gpf)	TL-8057-*L	LL-8057	T-8057-*L	600	WS	GF
Foremost	Solar RF (lined tank) (1.0 gpf)	TL-8057-8L	LL-8057	T-8057-*L	800	WS	GF
Foremost	Total Smart HET EL ADA (1.0 gpf)	TT-8296-*L	LL-8296	T-8296-*L	600	WS	GF
Fresca (by Foshan Nanhai)	None	FTL2222	-	-	NM	WS	GF
Fresca (by Foshan Nanhai)	None	FTL2309	-	-	NM	WS	GF
Fresca (by Foshan Nanhai)	None	FTL2346	-	-	NM	WS	GF
Fresca (by Foshan Nanhai)	None	FTL2351	-	-	NM	WS	GF
Gerber	Ultra Flush EL	EF-21-310	21-374	EF-28-380	800	WS	PA
Gerber	Ultra Flush EL ADA	EF 21-318	21-377	EF-28-380	800	WS	PA
Gerber	Ultra Flush EL ADA	EF-21-312	21-372	EF-28-380	800	WS	PA
Gerber	Ultra Flush EL ADA	EF-21-314	21-372	EF-28-384	800	WS	PA
Gerber	Ultra Flush EL ADA	EF-21-324	21-372	EF-28-384	800	WS	PA
Gerber	Ultra Flush EL ADA (rear discharge)	EF-21-325	21-375	EF-28-380	800	WS	PA
Gerber	Ultra Flush RF	EF-21-302	21-342	EF-28-380	1000	WS	PA
Gerber	Ultra Flush 1.1 EL	EF-21-312	21-372	EF-28-380	1000	WS	PA
Gerber	Ultra Flush 1.1 EL ADA	EF-21-318	21-377	EF-28-380	1000	WS	PA
Gerber	Ultra Flush 1.1 EL ADA (rear discharge)	EF-21-325	21-375	EF-28-380	1000	WS	PA
Gerber	Ultra Flush RF (14" rough-in)	EF-21-304	21-342	EF-28-384	1000	WS	PA
Home Depot	Glacier Bay Dual Flush EL ADA	SKU 635-678	N2430EB	N2430T	1000	WS	GF
Home Depot	Glacier Bay EL ADA (1.0 gpf)	SKU 303-774	303-774	303-774	800	WS	PA
Home Depot	None EL (1.0 gpf)	SKU 173-239	LL-775E	T1-005	600	WS	GF
Home Depot	Power One EL - SKU 385-195	N2310	2310B	2310T	1000	WS	PA
Home Depot	Stealth EL ADA (0.8 gpf)	SKU 169-564	N7717	N7715T	800	WS	GF
INAX	Dover EL ADA (1-piece) (1.28/0.8 gpf)	NC-430S-US	-	-	800	WS	DF
INAX	Magellan EL ADA (1.28/0.8 gpf)	C-620S-MC-US	-	-	600	WS	DF
INAX	Mead EL ADA (1.28/0.8 gpf)	C-622S-MC-US	-	-	600	WS	DF
INAX	Rio Grande EL ADA (1.28/0.8 gpf)	C621S-MC-US	-	-	600	WS	DF

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
INAX	Saint Clair EL ADA (1-piece) (1.28/0.8 gpf)	NC-420S-US	-	-	800	WS	DF
INAX	Statis EL (1-piece with hygiene spray)	D-S418-VL-US	-	-	350	WS	DF
Jacuzzi	Perfecta PowerChoice EL	SWH2***	GU90	DX80	NM	WS	DF
Jacuzzi	Perfecta PowerChoice EL ADA	SWP2***	GU90	DX80	1000	WS	DF
Jacuzzi	Perfecta PowerChoice RF	SWH1***	GX34	DX80	NM	WS	DF
Jacuzzi	Perfecta PowerChoice RF ADA	SWP1***	GX34	DX80	1000	WS	DF
Johnson Suisse	Cottage EL ADA (1-piece)	5554-M	-	-	1000	WS	DF
Kohler	Barrington Pressure Lite EL (rear discharge) (1.0 gpf)	K-3652	4327	4484	800	WS	PA
Kohler	Barrington Pressure Lite EL ADA (1.0 gpf)	K-3578	4305	4484	1000	WS	PA
Kohler	Escale EL	K-3588	4308	4472	500	WS	DF
Kohler	Highline Classic EL ADA (1.0 gpf)	K-5299	5297	5307	600	WS	GF
Kohler	Highline Flair EL ADA (1.0 gpf)	K-5298	5297	5308	600	WS	GF
Kohler	Highline Pressue Lite EL ADA (1.0 gpf)	K-3519	4304	4484	1000	WS	PA
Kohler	Numi (electronic) (1-piece)	K-3901	-	-	NM	WS	DF
Kohler	Reach EL (1-piece) (1.28/0.8 gpf)	K-3983	-	-	800	WS	GF
Kohler	Saile EL (1-piece)	K-3564	-	-	500	WS	DF
Kohler	San Raphael Pressure Lite EL ADA (1-piece) (1.0 gpf)	K-3597	-	-	600	WS	PA
Kohler	Sterling Karsten Dual Force EL	402028	402026	402023	400	WS	DF
Kohler	Sterling Karsten EL ADA	402087	402086	402023	NM	WS	DF
Kohler	Sterling Karsten RF	402025	402021	402023	800	WS	DF
Kohler	Sterling Rockton EL	402027	402026	402022	350	WS	DF
Kohler	Sterling Rockton EL ADA	402088	402086	402022	NM	WS	DF
Kohler	Sterling Rockton RF	402024	402021	402022	NM	WS	DF
Kohler	Veil	K-6303	6299	6284	NM	WS	DF
Kohler	Veil	K-6304	6300	6284	NM	WS	DF
Kohler	Veil Wall-Hung Intelligent	K-5402	76395	18647-NA	NM	WS	GF
Kohler	Reve EL ADA (1-piece)	K-76407			800	WS	GF
Kohler	Veil (1.28/0.6 gpf)	K-5401	-	-	NM	WS	GF
Kohler	Wellworth Pressure Lite EL (1.0gpf)	K-3531	4303	4484	1000	WS	PA
Lowe's	Aquasource (by Tangshan Monopy) (1.0 gpf)	773675/MT20205	-	-	NM	WS	GF
Mansfield	Maverick RF (1.0 gpf)	-	1013	1012	500	WS	GF
Mansfield	Prestigio 4 EL (1-piece) (1.0 gpf)	704	-	-	800	WS	PA
Mansfield	Quantum EL (floor mount, rear outlet) (1.0 gpf)	151-153	151	153	600	WS	PA
Mansfield	Quantum EL (wall mnt, rear discharge) (1.0gpf)	-	144	153	800	WS	PA
Mansfield	QuantumOne EL (1.0gpf)	-	147	153	1000	WS	PA
Mansfield	QuantumOne EL (rear discharge) (1.0gpf)	-	149	153	1000	WS	PA
Mansfield	QuantumOne EL ADA (1.0gpf)	-	148	153	1000	WS	PA
Mansfield	QuantumOne RF (1.0gpf)	-	146	153	1000	WS	PA
Mirabelle (by Ferguson)	Edenton RF ADA	-	MIRE240	MIRE200	350	WS	DF
Mirabelle (by Ferguson)	Edenton RF ADA	-	MIRE240	MIRE201	350	WS	DF
Mirabelle (by Ferguson)	Galatia EL ADA (1-piece) (1.28/0.8 gpf)	MIRGA241	-	-	400	WS	DF
Mirabelle (by Ferguson)	Winter Haven EL ADA (wall mount)	-	MIRWH240	MIRWH200	600	WS	DF

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
Niagara Conservation	Power One EL (1.0 gpf)	N2310	N2310B	N2310T	1000	WS	PA
Niagara Conservation	Power One RF (1.0 gpf)	N2310R	N2310R	N2310T	800	WS	PA
Niagara Conservation	Stealth EL (1-piece) (0.8 gpf)	N7711	-	-	800	WS	GF
Niagara Conservation	Stealth EL ADA (0.8 gpf)	77000WHA1	N7717	N7714	600	WS	GF
Niagara Conservation	Stealth EL ADA (0.8 gpf)	N7717	N7717	N7715T	800	WS	GF
Niagara Conservation	Stealth EL ADA (rear outlet) (0.95 gpf)	N7799-NCC	N7799	N7714T	800	WS	GF
Niagara Conservation	Stealth EL ADA (10" rough-in) (0.8 gpf)	N772714E	N7727EB	N7714	800	WS	GF
Niagara Conservation	Stealth EL ADA (10" rough-in) (0.8 gpf)	N772715E	N7727EB	N7715T	800	WS	GF
Niagara Conservation	Stealth EL ADA Dual Flush (0.95/0.5 gpf)	N771714E-DF	N771714EB-DF	N771714T-DF	800	WS	GF
Niagara Conservation	Stealth EL ADA Dual Flush (0.95/0.5 gpf)	N771715E-DF	N771714EB-DF	N771715T-DF	NM	WS	GF
Niagara Conservation	Stealth RF (10" rough-in) (0.8 gpf)	N772614R	N7726RB	N7714	800	WS	GF
Niagara Conservation	Stealth RF (10" rough-in) (0.8 gpf)	N772615R	N7726RB	N7715T	800	WS	GF
Niagara Conservation	Stealth RF ADA (0.8 gpf)	77001RWHA1	N7716	N7714	600	WS	GF
Niagara Conservation	Stealth RF ADA (0.8 gpf)	N7716	N7716	N7715T	800	WS	GF
Niagara Conservation	Stealth RF ADA (0.8 gpf)	N7716R	N7716	N7714	800	WS	GF
Niagara Conservation	Stealth RF Dual Flush	N771714R-DF	N771714RB-DF	N771714T-DF	NM	WS	GF
Niagara Conservation	Stealth RF Dual Flush	N771715R-DF	N771714RB-DF	N771715T-DF	NM	WS	GF
Pfister	None (1-piece - lined tank) (by HCG)	VTP-E10W	-	-	1000	WS	DF
Pfister	None (1-piece) (by HCG)	VTP-E10W	-	-	1000	WS	DF
Pfister	None EL (by HCG)	VTP-E51W	C-5518	S-5518	NM	WS	DF
ProFlo (Ferguson brand)	None EL (1.0 gpf)	-	PF1601	PF1612	1000	WS	PA
ProFlo (Ferguson brand)	None EL (1.0 gpf) (rear outlet)	-	PF1605	PF1612	1000	WS	PA
ProFlo (Ferguson brand)	None EL ADA (1.0 gpf)	-	PF1603	PF1612	1000	WS	PA
ProFlo (Ferguson brand)	None EL ADA (1.0 gpf)	-	PF1606PA	PF1612PA	1000	WS	PA
ProFlo (Ferguson brand)	None EL ADA (1.0 gpf)	-	PF9803	PF9812	800	WS	GF
ProFlo (Ferguson brand)	None EL ADA (10" rough-in) (1.0 gpf)	-	PF9803	PF9810	800	WS	GF
ProFlo (Ferguson brand)	None RF (1.0 gpf)	-	PF1600	PF1612	1000	WS	PA
ProFlo (Ferguson brand)	None RF (1.0 gpf)	-	PF1604PA	PF1612PA	1000	WS	PA
ProFlo (Ferguson brand)	None RF ADA (1.0 gpf)	-	PF9800	PF9812	600	WS	GF
ProFlo (Ferguson brand)	None RF ADA (10" rough-in) (1.0 gpf)	-	PF9800	PF9810	600	WS	GF
Seasons (HD Supply)	Hawthorne EL ADA (1.0 gpf)	-	564-856	564-854	800	WS	PA
Seasons (HD Supply)	Hawthorne EL ADA (1.0 gpf)	-	564-814	564-854	1000	WS	PA
Seasons (HD Supply)	Keating EL (1.0 gpf)	-	189881	189880	600	WS	GF
Seasons (HD Supply)	Keating RF (1.0 gpf)	-	749458	189880	600	WS	GF
Seasons (HD Supply)	None EL ADA (1.0 gpf)	-	564-856	564-854	NM	WS	PA
Seasons Gold (HD Supply)	Keating HET EL (1.0 gpf)	-	189881	189880	800	WS	GF
Seasons Gold (HD Supply)	Keating HET RF (1.0 gpf)	-	749458	189880	800	WS	GF
Seasons Gold (HD Supply)	None HET EL ADA	-	710695	189880	800	WS	GF
SSI-Sustainable Solutions International	None RF ADA (1.0 gpf)	-	301381	301380	800	WS	GF
Toto	Aquia (with concealed tank)	CWT418MF(G)	CT418FG	WT15*M	NM	WS	DF
Toto	Aquia EL	CST412MF	CT412F	ST412M	800	WS	DF
Toto	Aquia EL	CST414M	CT414	ST413M	800	WS	DF
Toto	Aquia EL (1-piece, wall hung)	CT418FG (with in wall carrier - Geberit 111.255)	-	-	NM	WS	DF

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
Toto	Aquia EL (1-piece, wall hung)	CT418FG (with in wall carrier - Geberit 111.335)	-	-	NM	WS	DF
Toto	Aquia EL (1-piece, wall hung)	CT418FG (with in wall carrier - Geberit 111.728)	-	-	NM	WS	DF
Toto	Aquia EL ADA (10" rough-in)	CST412MF.10	CT412MF.10	ST412M	800	WS	DF
Toto	Aquia II EL	CST416M	CT416	ST416M	500	WS	DF
Toto	Aquia III EL	CST464M	CT464	ST464M	500	WS	DF
Toto	Aquia IIIUH EL ADA	CST464MF	CT464F	ST464M	500	WS	DF
Toto	Aquia/Duofit EL	CT418FG (with in wall carrier - Model # WT15*M	-	-	NM	WS	DF
Toto	Carlyle II 1G EL ADA (1-piece) (1.0 gpf)	CST614CUFG or MS614114CUFG	-	-	800	WS	GF
Toto	Connelly EL ADA	CST494CEMF(G)	CT494CEF(G)	ST494M	800	WS	GF
Toto	Drake II 1G EL (1.0gpf)	CST454CUFG	C454CUFG	ST453U	800	WS	GF
Toto	Drake II IG - RF ADA (1.0 gpf)	CST453CUF(G)	C453CUF(G)	ST453U	600	WS	GF
Toto	G400 EL	MS920CEMF(G)	CT920CEMF(G)	SN920M top	600	WS	DF
Toto	G500	MS970CEMFG	CT970CEMFG	SN970CM	NM	WS	DF
Toto	Maris EL ADA	CST484CEMF(G)	CT484CEF(G)	ST484M	1000	WS	DF
Toto	Neorest 500H EL	MS952CUM(G)	CT952CUM(G)	SN952M top	600	WS	DF
Toto	Neorest 550H EL (1-piece)	MS982CUMG	CT982CUMG	SN982M	800	WS	DF
Toto	Neorest 700H	MS992CUMF	CT992CUMFG	SN992M	800	WS	DF
Toto	Neorest 750H	MS993CUMF	CT993CUMFX	SN993MX	800	WS	DF
Toto	Ultramax II 1G EL ADA (1-piece) (1.0gpf)	MS604114CUFG	-	-	800	WS	GF
Toto	Vespin II 1G EL ADA (1.0 gpf)	CST474CUF	CT474CUFG	ST453U	600	WS	GF
Unison Ridge	Marriot EL (1.28/0.8 gpf)	-	UB1215E3	TDF1233248	1000	WS	DF
Unison Ridge	Marriot RF (1.28/0.8 gpf)	-	UB1216E3	TDF1233248	800	WS	DF
Unison Ridge	Marriot RF (1.28/0.8 gpf)	-	UB1215R	TDF1233248	1000	WS	DF
Unison Ridge	Marriot RF (1.28/0.8 gpf)	-	UB1216R3	TDF1233248	1000	WS	DF
Villeroy & Boch	LaBelle (wall mount)	5627-10	5627-10	111.335	NM	WS	DF
Villeroy & Boch	Memento (wall mount)	5628-10	5628-10	111.335	NM	WS	DF
Villeroy & Boch	O.NOVO RF ADA	5659U0 01	5659	5D11	1000	WS	GF
Villeroy & Boch	Omnia Architectura (wall mount)	5674-10	5674-10	111.335	NM	WS	DF
Villeroy & Boch	Subway 2.0 (wall mount)	5600-10	5600-10	111.335	NM	WS	DF
Villeroy & Boch	Subway EL	6600	6600	111.335	NM	WS	DF
Villeroy & Boch	Subway EL	6610	6610	7723	NM	WS	DF
VitrA	EverGreen Dual Flush EL ADA	-	5074	5055	800	WS	DF
VitrA	EverGreen Dual Flush RF (1-piece)	4125	-	-	NM	WS	GF
VitrA	Evergreen Dual Flush RF	-	5076-xxx-0075	5055-xxx-5219	600	WS	DF
VitrA	EverGreen EL ADA (1.0 gpf)	-	5065	5066	800	WS	PA
Vortens	Oken 1G EL UHET (1.0 gpf)	3149-3449	3149	3449	800	WS	GF
Vortens	Oken 1G RF (1.0gpf)	3249-3449	3249-V	3449-V	600	WS	GF
Vortens	Tornado EL (1.0 gpf)	3138-3468	3138-V	3468-V	700	WS	PA
Vortens	Tornado EL ADA (1.0 gpf)	3134-3468	3134-V	3468-V	1000	WS	PA
Western Pottery	None (1.0 gpf)	B422PF-1	422PF	T-ULF-T4	NM	WS	PA

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
Western Pottery	None EL (1.0 gpf)	B472PF-1	472PF	T-ULF-T4	NM	WS	PA
Western Pottery	None One EL (1.0 gpf)	B432PF-1	432 PF	T-ULF-T4	1000	WS	PA
Western Pottery	None RF (1.0 gpf)	-	B722	T7ULF	800	WS	PA
Whitehaus	None	WHMFL3222-EB	-	-	NM	WS	GF
Whitehaus	None	WHMFL3309-EB	-	-	NM	WS	GF
Whitehaus	None	WHMFL3351-EB	-	-	NM	WS	GF
Whitehaus	None	WHMFL3364-EB	-	-	NM	WS	GF
Winfield	None	PAT155-100	PAK100	PAB155	350	WS	GF
Winfield	None	PAT165-100	PAK100	PAB165	350	WS	GF
Zurn	EcoVantage EL ADA (1.0 gpf)	Z5561	Z5560	Z5561	1000	WS	PA
Zurn	EcoVantage RF (1.0 gpf)	Z5576	Z5575	Z5561	NM	WS	PA
Zurn	EcoVantage EL (1.0 gpf)	Z5571	Z5570	Z5561	800	WS	PA

Abbreviations

WS - WaterSense Labeled Toilet

MaP Score - Maximum Performance Testing Score

NM - Not Measured for maximum performance - flushes at least 350 grams to meet EPA WaterSense standards

DF - Dual Flush

PA - Pressure Assist

GF - Gravity Assist

EL - Elongated Bowl

RF - Round Front Bowl

ADA - Americans with Disabilities Act Compliant

Maximum Performance (MaP) Testing - a better measurement of toilet performance!

Many toilet fixture performance tests exist, including proprietary tests by the fixture manufacturers, tests by Consumer Reports magazine, and the tests mandated by the plumbing codes for fixture certification. Few of these, however, use test media that closely resembles the real “demands” upon a toilet.

The Maximum Performance (MaP) testing project was undertaken in 2003 in order to identify how well popular toilet models perform using a realistic test media. A new testing protocol, cooperatively developed by water-efficiency and plumbing fixture specialists in the U.S. and Canada, incorporated the use of soybean paste as a test media, closely replicating the “real world demand” upon fixtures. This protocol has been adopted by the U.S. Environmental Protection Agency for their WaterSense program.

The test media is measured in grams and toilet performance is determined by how much test media it can successfully flush. Toilets on this list of qualifying models have a MaP test performance of at least 350 grams and are WaterSense labeled.

For more information on MaP testing and to download the complete report, visit <http://www.map-testing.com>